

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of December 31, 2005  
Trenton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	132	13
AIDS-CD4 Only	#	#	#	#	364	36
HIV Only	498	50	7	70	505	50
-----	-----	---	-----	---	-----	---
Total	991	100	10	100	1001	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	#	#	#	#	120	12
5-12	9	1	Black, Not Hispanic	756	76	7	70	763	76
13-19	9	1	Hispanic	#	#	#	#	108	11
20-29	69	7	Other/Unknown	10	1	0	0	10	1
30-39	199	20	-----	-----	---	-----	---	-----	---
40-49	422	42	Total	991	100	10	100	1001	100
50+	292	29							
Unk.	#	#							
-----	-----	---							
Total	1001	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	178	30	0	0	178	18
Injection drug user (IDU)	174	29	119	31	293	30
MSM/IDU	33	5	0	0	33	3
Heterosexual contact***	174	29	237	63	411	42
Risk not reported/other****	44	7	23	6	67	7
-----	-----	---	-----	---	-----	---
Total	603	100	379	100	982	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	9	90	8	89	17	89
Risk not reported/other****	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	10	100	9	100	19	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of December 2005.

\*\* 9 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2005  
Trenton Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	# ( #)	# ( #)	# ( #)	# ( #)	242 ( 20)	201 ( 83)
Other OI w/o PCP	# ( #)	# ( #)	# ( #)	# ( #)	273 ( 22)	201 ( 74)
KS Alone	13 ( 1)	9 ( 82)	0 ( 0)	0 ( .)	13 ( 1)	9 ( 82)
No Disease Listed	701 ( 58)	322 ( 47)	0 ( 0)	0 ( .)	701 ( 57)	322 ( 47)
Total	1208 (100)	722 ( 60)	21 (100)	11 ( 52)	1229 (100)	733 ( 60)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %
Under 5	18	1	White, Not Hispanic	# #	# #	206 17
5-12	#	#	Black, Not Hispanic	880 73	19 90	899 73
13-19	#	#	Hispanic	# #	# #	120 10
20-29	146	12	Other/Unknown	# #	0 0	# #
30-39	469	38				
40-49	406	33	Total	1208 100	21 100	1229 100
Over 49	181	15				
Unknown	0	0				
Total	1229	100				

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	233	27	0	0	233	19
Injection drug user (IDU)	343	40	162	46	505	42
MSM/IDU	62	7	0	0	62	5
Heterosexual contact***	157	18	180	51	337	28
Risk not reported/other****	57	7	13	4	70	6
Total	852	100	355	100	1207	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	11	92	10	100	21	95
Risk not reported/other****	#	#	0	0	#	#
Total	12	100	10	100	22	100

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2005  
Trenton Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	7	7	100%
1985	12	12	100%
1986	11	11	100%
1987	27	26	96%
1988	29	27	93%
1989	35	32	91%
1990	35	35	100%
1991	59	55	93%
1992	92	80	87%
1993	140	109	78%
1994	96	72	75%
1995	117	79	68%
1996	83	40	48%
1997	70	29	41%
1998	52	24	46%
1999	56	18	32%
2000	66	21	32%
2001	71	24	34%
2002	56	15	27%
2003	48	8	17%
2004	41	#	#
2005	26	#	#
-----	-----	-----	-----
Total	1229	733	60%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005  
Trenton Residents

1. Age *	Cases %		2. Race/Ethnicity	Adult/Adl* Cases %		Pediatric* Cases %		Total Cases %	
	-----	----		-----	----	-----	----	-----	----
Under 5	6	1	White, Not Hispanic	#	#	#	#	77	13
5-12	#	#	Black, Not Hispanic	439	75	5	63	444	75
13-19	18	3	Hispanic	#	#	#	#	64	11
20-29	145	24	Other/Unknown	7	1	0	0	7	1
30-39	210	35	-----	-----	----	-----	----	-----	----
40-49	142	24	Total	584	100	8	100	592	100
Over 49	69	12							
Unknown	#	#							
-----	-----	----							
Total	592	100							

3. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	----	-----	----	-----	----
Men sex with men (MSM)	97	29	0	0	97	17
Injection drug user (IDU)	106	31	84	34	190	33
MSM/IDU	11	3	0	0	11	2
Heterosexual contact***	96	28	140	57	236	40
Risk not reported/other****	29	9	21	9	50	9
-----	-----	----	-----	----	-----	----
Total	339	100	245	100	584	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	----	-----	----	-----	----
Parent at risk/has AIDS/HIV	#	#	#	#	7	88
Risk not reported/other****	#	#	#	#	#	#
-----	-----	----	-----	----	-----	----
Total	#	#	#	#	8	100

\* Classification at time of first HIV+ test.

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having  
been HIV-infected as children. They are counted as adult/adolescent  
reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with no other risk identified  
who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with transmission categories of  
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated  
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS  
that have subsequently been updated to AIDS. Also not included in these tables are  
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed  
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been  
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2005  
Trenton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	558	31	21	72	579	32
AIDS-CD4 Only	650	36	0	0	650	36
HIV Only	584	33	8	28	592	33
-----	-----	---	-----	---	-----	---
Total	1792	100	29	100	1821	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	25	1	White, Not Hispanic	#	#	#	#	283	16
5-12	#	#	Black, Not Hispanic	1319	74	24	83	1343	74
13-19	28	2	Hispanic	#	#	#	#	184	10
20-29	343	19	Other/Unknown	11	1	0	0	11	1
30-39	700	38	-----	-----	---	-----	---	-----	---
40-49	492	27	Total	1792	100	29	100	1821	100
Over 49	229	13							
Unknown	#	#							
-----	-----	---							
Total	1821	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	330	28	0	0	330	18
Injection drug user (IDU)	449	38	246	41	695	39
MSM/IDU	73	6	0	0	73	4
Heterosexual contact***	253	21	320	53	573	32
Risk not reported/other****	86	7	34	6	120	7
-----	-----	---	-----	---	-----	---
Total	1191	100	600	100	1791	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	16	94	12	92	28	93
Risk not reported/other****	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	17	100	13	100	30	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 1 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2005  
Trenton Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	9	8	89%
1985	13	13	100%
1986	20	19	95%
1987	37	33	89%
1988	39	34	87%
1989	57	49	86%
1990	75	67	89%
1991	94	65	69%
1992	205	133	65%
1993	171	92	54%
1994	160	85	53%
1995	152	56	37%
1996	123	42	34%
1997	94	24	26%
1998	89	30	34%
1999	85	22	26%
2000	84	10	12%
2001	70	11	16%
2002	74	13	18%
2003	57	6	11%
2004	72	8	11%
2005	41	0	0%
-----	-----	-----	-----
Total	1821	820	45%